

**U. PORTO**

**FMUP** FACULDADE DE MEDICINA  
UNIVERSIDADE DO PORTO

**MESTRADO INTEGRADO EM MEDICINA**

---

2017/2018

Beatriz de Moura Carmo

**School injuries in children who resort to the pediatric emergency department:  
an epidemiologic 3-year retrospective study**

Acidentes escolares em crianças que recorrem ao serviço de urgência pediátrica:  
um estudo epidemiológico retrospectivo de 3 anos

março, 2018

**FMUP**

**U. PORTO**

**FMUP** FACULDADE DE MEDICINA  
UNIVERSIDADE DO PORTO

Beatriz de Moura Carmo

**School injuries in children who resort to the pediatric emergency department:  
an epidemiologic 3-year retrospective study**

Acidentes escolares em crianças que recorrem ao serviço de urgência pediátrica:  
um estudo epidemiológico retrospectivo de 3 anos

**Mestrado Integrado em Medicina**

**Área: Pediatria**

**Tipologia: Dissertação**

**Trabalho efetuado sob a Orientação de:  
Prof. Doutor Luís de Almeida Santos**

**Trabalho organizado de acordo com as normas da revista:  
Pediatric Emergency Care**

março, 2018

**FMUP**

Eu, Beatriz de Moura Carmo, abaixo assinado, nº mecanográfico 201206654, estudante do 6º ano do Ciclo de Estudos Integrado em Medicina, na Faculdade de Medicina da Universidade do Porto, declaro ter atuado com absoluta integridade na elaboração deste projeto de opção.

Neste sentido, confirmo que **NÃO** incorri em plágio (ato pelo qual um indivíduo, mesmo por omissão, assume a autoria de um determinado trabalho intelectual, ou partes dele). Mais declaro que todas as frases que retirei de trabalhos anteriores pertencentes a outros autores, foram referenciadas, ou redigidas com novas palavras, tendo colocado, neste caso, a citação da fonte bibliográfica.

Faculdade de Medicina da Universidade do Porto, 21/03/2018

Assinatura conforme cartão de identificação:

Beatriz de Moura Carmo

NOME

Beatriz de Moura Carmo

NÚMERO DE ESTUDANTE

201206654

E-MAIL

bia.m.carmo@gmail.com

DESIGNAÇÃO DA ÁREA DO PROJECTO

Pediatria

TÍTULO DISSERTAÇÃO/~~MONOGRAFIA~~ (riscar o que não interessa)

School injuries in children who resort to the pediatric emergency department: an epidemiologic 3-year retrospective study

ORIENTADOR

Prof. Doutor Luís Almeida Santos

COORIENTADOR (se aplicável)

ASSINALE APENAS UMA DAS OPÇÕES:

|   |                                     |
|---|-------------------------------------|
| É AUTORIZADA A REPRODUÇÃO INTEGRAL DESTES TRABALHOS APENAS PARA EFEITOS DE INVESTIGAÇÃO, MEDIANTE DECLARAÇÃO ESCRITA DO INTERESSADO, QUE A TAL SE COMPROMETE.   | <input type="checkbox"/>            |
| É AUTORIZADA A REPRODUÇÃO PARCIAL DESTES TRABALHOS (INDICAR, CASO TAL SEJA NECESSÁRIO, Nº MÁXIMO DE PÁGINAS, ILUSTRAÇÕES, GRÁFICOS, ETC.) APENAS PARA EFEITOS DE INVESTIGAÇÃO, MEDIANTE DECLARAÇÃO ESCRITA DO INTERESSADO, QUE A TAL SE COMPROMETE. | <input type="checkbox"/>            |
| DE ACORDO COM A LEGISLAÇÃO EM VIGOR, (INDICAR, CASO TAL SEJA NECESSÁRIO, Nº MÁXIMO DE PÁGINAS, ILUSTRAÇÕES, GRÁFICOS, ETC.) NÃO É PERMITIDA A REPRODUÇÃO DE QUALQUER PARTE DESTES TRABALHOS.  | <input checked="" type="checkbox"/> |

Faculdade de Medicina da Universidade do Porto, 21/03/2018

Assinatura conforme cartão de identificação:

*Beatriz de Moura Carmo*

*“Try to leave this world a little better than you found it.”*

R. Baden-Powell

Aos meus Professores

**School injuries in children who resort to the pediatric emergency department:  
an epidemiologic 3-year retrospective study**

Beatriz de Moura Carmo<sup>1</sup>, Dr.

João Viana<sup>1,2</sup>, MSc

António Bandeira<sup>1</sup>

Luís Almeida Santos<sup>1,3</sup>, PhD

<sup>1</sup> Faculty of Medicine, University of Porto, Porto, Portugal

<sup>2</sup> CINTESIS—Centre for Health Technology and Services Research, Portugal

<sup>3</sup> Pediatric Emergency Department, Faculty of Medicine, University of Porto, Porto, Portugal

**Corresponding author:**

Beatriz de Moura Carmo,

E-mail: [bia.m.carmo@gmail.com](mailto:bia.m.carmo@gmail.com) Telephone: +351 912928297 Fax: +351 225094120

Address: Urgência Pediátrica, Centro Hospitalar S. João, EPE, Alameda Prof. Hernâni Monteiro, 4200-319 Porto, Portugal

## **Abstract**

**Objective:** The goal of this study was to describe the epidemiology of school injuries evaluated in a 3-year period at the São João Hospital Center – Pediatric Emergency Department (SJHC-PED) in Porto, Portugal (volume ~ 79,000 patients/year), as well as to clarify if the emergency department software system (JOne) is suitable as a school injury surveillance system.

**Methods:** A 3-year (2014-2016) retrospective review of the electronic clinical data collected from the JOne, was carried out among children aged 3 to 17 years who were classified by the SJHC-PED's reception staff as having sustained a "school injury".

**Results:** A total of 20325 cases were analyzed. The injury rate was 48.4:1000 students per year. Severe cases accounted for 19.4% of all cases. Musculoskeletal complaint was triage's most frequent main complaint (69.2%), and 65.9% of patients were discharged by the orthopedics medical specialty. Correct/valid principal diagnosis coding, using the International Classification of Diseases, Ninth Revision, Clinical Modification, was registered in 56.1% of all the emergency episodes.

**Conclusion:** Our results support clinical perception concerning the burden of school injuries in the SJHC-PED. The JOne is an important source of information. Although, it proved to be an insufficient tool for the surveillance of school injuries. Altogether our findings reinforce the need of an articulated strategy between health and educational services to report and prevent school injuries.

**Key Words:** schools; wounds and injuries; epidemiology; pediatrics; emergency service, hospital

## Introduction

School is widely accepted as a “safe space” by the general population, since it is perceived as a supervised environment for the transmission of knowledge and skills acquisition.<sup>1</sup> At school, children (“every human being with less than 18 years old”<sup>2</sup>) engage in several activities that range from traditional classroom learning, to the practice of sports. During these activities, they may also be involved in many hazardous situations that take place in the school setting.

The child’s typical risk-taking behavior combined with peer and surrounding interaction within a supervised or non-supervised area, transform the school in an environment prone to injury.<sup>3-5</sup> Furthermore, the time of risk exposure is high, considering that children spend around 25%, up to 50% of their daytime at school, five days per week.<sup>6,7</sup>

Injury in children is considered a major health problem and numerous organizations worldwide have focused their efforts in reducing child associated injury mortality and morbidity.<sup>8,9</sup> An injury surveillance system is an essential instrument by which reliable information is collected and analyzed to produce a statistical overview of the injury problematic. This data could be utilized to plan and monitor effective prevention strategies, in a local, regional or national context.<sup>9,10</sup>

According to the Child Safety Report Card, published by the European Child Safety Alliance, Eurosafe in 2012, childhood injury in Portugal was still a leading cause of death. Although some good initiatives and projects were implemented, more actions are required to improve the overall child safety in Portugal. This report also highlighted the need to establish an integrated injury surveillance system to allow the study of injuries and the development of evidence-based prevention strategies.<sup>11,12</sup>

School injuries are not related to a high risk of fatal injuries, however they are a major cause for disability, and socio-economic burden. Although previous evidence support that the school environment offers privilege circumstances to ensure effective injury prevention measures, school injuries still account for a significant proportion of the pediatric injuries.<sup>4,13</sup> More, prevent the school injuries will also help in the development of healthy and safe habits among children, which ultimately leads to a more productive and safe school.<sup>14</sup>

Multiple international studies have already described injury patterns associated with school injuries, and effective prevention strategies, supported by school injury surveillance systems, were defined.<sup>5,15-17</sup> These studies also showed that injury rate and injury specific patterns tend to vary from country to country, and even from school to school.<sup>5,18</sup>

In Portugal there is no centralized data regarding school injuries. So far, all the implemented studies described school injuries from a local perspective and for a short-time period. Thus, this precludes the monitoring of the school injuries, as well as the proper evaluation of the prevention strategies.

The necessary data to create an injury surveillance system can be collected from the information made available in the clinical and administrative records of a Pediatric Emergency Department (PED).<sup>19</sup> In the São João Hospital Center – Pediatric Emergency Department (SJHC-PED; Porto, Portugal) all the clinical and administrative data, regarding emergency episodes, is registered in the JOne software system. The system was built with the main purpose of allowing the registration and consultation of the clinical information in the PED. The software, entirely developed by the SJHC professionals,

undergoes through regular updates to better fulfill the needs from both medical professionals and patients.<sup>20, 21</sup>

Within the clinical staff of the SJHC-PED, the current perception is that school injuries are a considerable burden to the PED. Thus, the aim of this study was to describe the epidemiology of school injuries evaluated in a 3-year period at the SJHC-PED. More, we intend to clarify if the JOne software system is suitable as a school injury surveillance system. To our knowledge, this is the first study to describe the epidemiology of school injuries in the SJHC- PED. This constitutes an important topic of discussion within the national public health system, because the medical assistance to a school injury must be provided by a public health institution in order to be entitled to the school insurance.

22

## **Methods**

### **Design and Setting**

A retrospective electronic chart review was conducted during a 3-year period (from January 1<sup>st</sup> 2014 till December 31<sup>st</sup> 2016) at SJHC-PED, in Porto, Portugal.

The São João Hospital Center (SJHC) is an urban, university-affiliated hospital with a catchment area of approximately 800 thousand inhabitants. The SJHC-PED is a metropolitan PED that serves 5 cities from the Oporto district (Porto, Maia, Valongo, Matosinhos and Gondomar) and receives more than 79,000 visits per year, from an estimated population of over 130,000 children. The SJHC-PED is the only public PED of this region.<sup>21, 23</sup>

This study was approved by the hospital's ethical commission.

### **Patients**

All the pediatric patients aged 3 to 17 years who were admitted in the reception desk of the PED with a "school injury" were included in this study. An emergency episode is labeled as a school injury whenever the child or his responsible adult (parent/family member or the school staff accompanying the child) state at the reception desk that the cause of attendance to the PED is an injury sustained during an activity under the school's responsibility, as defined by the Portuguese legislation.<sup>22</sup>

### **Data collection and analysis**

All the data used in this analysis was automatically exported from the JOne system to a spreadsheet, meaning, the cases were not individually checked.

The number of annual emergency episodes in the SJHC-PED was obtained from an official document published by the SJHC.<sup>23</sup> The number of students per year (2014, 2015 and 2016) grouped by academic level and city was obtained from the online database PORDATA and used to calculate the injury rate.<sup>24</sup>

To this study the following variables were considered: age, sex, date and hour of the emergency episode, time spent in the PED, wait time to consultation, medical discharge specialty, principal diagnosis, triage score, triage main complaint, hospitalization, requirement of medical analyses, radiologic exams or medical treatment, and patient origin (walk-in, with a referral from other health center or brought in by emergency vehicles).

Age was grouped according to the academic level: kindergarten [3,6[ years, 1st cycle [6,10[, 2nd cycle [10,12[, 3rd cycle [12,15[, and high school [15,18[.

Triage variables analyzed included triage score according to the Paediatric Canadian Triage and Acuity Scale (PaedCTAS), and triage main complaint, which is registered by triage nurses who integrate the patient's complaint into an organ system or a medical specialty. Triage score was also categorized into severe (Level I – Red, Level II – Orange and Level III – Yellow) and non-severe cases (Level IV – Green and Level V – Blue).<sup>25, 26</sup>

The JOne software system utilizes the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) tabular list of diseases and injuries to code the principal diagnosis of an emergency episode. Emergency doctors can select the diagnosis from a list provided by the JOne, based on the ICD-9-CM tabular index. The principal diagnoses codes were grouped into two variables: ICD-9-CM chapters and injury type. To evaluate correct/valid coding we further categorized the ICD-9-CM principal diagnoses codes into: Supplementary classification of external causes of injury and poisoning (all diagnoses with a code correspondence to that specific chapter), diagnoses without ICD-9-CM coding (all the principal diagnoses that presented a written diagnosis recorded in the system, but no correspondence to an ICD-9-CM code), insufficient coding (the diagnoses that have not been coded to the full number of digits required by the guidelines) and correct/valid coding (codes with the full number of digits required by the guidelines).<sup>27</sup>

All data was systematized and analyzed using the SPSS 25 (Armonk, NY: IBM Corp). Descriptive statistics were computed for all variables.

## Results

A total of 20325 emergency episodes were registered by the reception staff as “school injury” from January 2014 till December 2016, representing 8.4% of the total 240763 cases treated in the PED for the 3 years.

The injury rate calculated was 48.4/1000 students for the total of the three years. The injury rate increased every year: in 2014 the rate was 47.8/1000; 2015 was 48.2/1000, and in 2016 was 49.2/1000 students.

The age group with the higher percentage of injuries was the [12,15[ (30,3%). The group with the highest incidence rate was the [10,12[. Kindergarten group presented the lowest frequency and incidence rate from all groups. [Table 1]

The boy:girl ratio was 1.2:1 (10979/9346). Boys are more frequently injured than girls in all the age groups, except in the older group from 15 to 18 years old, when girls invert this trend. [Figure 1]

More than 90% of patients were walk-ins (94.1%), 3.2% were referenced from other health centers and 2.4% were brought in by emergency vehicles.

When considering the triage score, a higher frequency of injuries, 78.4% (15932), were screened as Level IV – Green, followed by Level III – Yellow with 18.6% (3772), and Level V – Blue with 1.9% (385). Only 3 cases were classified as Level I – Red, and 172 cases as Level II – Orange. The severe cases accounted for 19.4% (3947) of all cases. When considering this data by age group, the ratio non-severe:severe for the three older age groups ([10,18]) is similar, approximately 5.4:1, while the [6,10[ group presented 2.6:1, and the group [3,6[ showed a non-severe to severe ratio of 1.9:1. Boys suffered a higher proportion of injuries classified as severe when compared to girls (Boys – 3.3:1, and Girls – 5.7:1 non-severe:severe). [Figure 2]

The most reported triage main complaint was the musculoskeletal (69.2%). The neurologic/CNS complaint accounted for 10.7%, the dermatologic for 8.0%, and the ophthalmologic/otolaryngologic to 7.7% of the cases.

Approximately seventy-one percent of the injured students required radiologic exams (71.2%), and 74.4% received medical treatment in the PED. Only 0.9% required medical analysis.

Regarding ICD-9-CM diagnosis, 72.9% of the diagnosis were coded in Chapter 17 "Injury and Poisoning" and 17.0% were coded in Chapter 13 "Musculoskeletal System and Connective Tissue". Only two Chapters did not have corresponding codes: Chapter 11 "Complications of Pregnancy, Childbirth and Puerperium" and Chapter 15 "Certain Conditions Originating in the Perinatal Period". Chapters 1 - "Infectious and Parasitic Diseases", 2 - "Neoplasms", 3 - "Endocrine, Nutritional and Metabolic Diseases, and Immunity Disorders", 4 - "Diseases of the Blood and Blood-Forming Organs", 7 - "Diseases of the Circulatory System", and 14 - "Congenital Anomalies" were the chapters with the lowest frequency of coded diagnoses (a total of 62 coded diagnosis).

Contusion with intact skin surface was the most frequent injury (30.8%), fractures accounted for 6.0% of all injuries. Sprains and strains were diagnosed in 10.4% of cases, while open wound was diagnosed in 10.1% of cases.

Correct/valid coding was performed in 56.1% of cases. Incorrect coding included diagnosis with no ICD-9-CM code correspondence (2.4%), Supplementary classification of external causes of injury and poisoning (0.2%), and diagnosis with insufficient number of digits to a correct/valid coding – insufficient coding (39.9%). [Table 2]

Orthopedics and pediatric surgery were the most common medical discharge specialties, accounting for 65.9% and 21.0% of all the school injuries discharges, respectively.

Hospitalization was necessary in 1.4% of cases (275), from those 41.5% (114) were diagnosed as fractures in the PED.

A greater proportion of the visits to the PED were registered in the months of October (14.7%), November (13.4%) and May (12.6%). December, September and June recorded a similar frequency attendance (6.7%, 5.5% and 4.8%, respectively), the same was observed to February, March, January and April (10.9%, 10.5%, 10.4% and 9.7%, respectively). July and August combined, recorded the lowest percentage of visits (0.9%).

Tuesday, Wednesday and Friday registered a similar attendance frequency (19.9%, 19.3% and 19.4%, respectively). The highest percentage of injuries occurred on Thursday (22.0%), and the lowest on Monday (17.2%). Two percent of the visits occurred on weekends (2.2%; Saturday and Sunday).

The majority of patients resorted to the PED between 09h and 19h (87.2%). Between 19h to 09h, 12.8% of patients were admitted to the PED.

The mean time spent in the PED was 103 minutes (1h43m), and the mean waiting time to consultation was 34 minutes. Considering each month, the mean time spent in the PED is rather similar, although July and August, comparing to the other months, had had the smallest mean time spent in the PED [Figure 3]. October, November and December are the months with the higher waiting time to consultation, while July and August presented the smallest waiting time. [Figure 4]

## Discussion

Overall, our results support the clinical perception concerning the burden of school injuries in the SJHC-PED. Further, the JOne system is an important source of information, but the data collected from it does not suffice to the surveillance and monitoring of the school injuries<sup>10</sup>. Our findings reinforce that is mandatory to create an articulated strategy between health and educational services to report and prevent the school injuries.

The results from this study also highlighted that the injury rate at the SJHC-PED is higher than those previously reported, when considering the hospital as a data source (48.4:1000 students per year).<sup>5, 28</sup> This discrepancy may be justified by the lack of school nurses in Portugal, since the Portuguese school system does not contemplate school nurses as a part of the School Health Program.<sup>29</sup> Thus, all the school injuries and diseases that occurs within the school responsibility are brought to an emergency department for evaluation. An alternative explanation is that the PED is commonly used as a primary care facility, that is, people resort directly to the PED without previous evaluation from the primary care providers. Supporting this assumption is the low percentage of cases referred from other health centers (3.2%). More, the low percentage of severe injuries presenting to the PED (19.4%) and the low rate of hospitalization (1.4%) also reinforce the previous assumption. These findings are not surprising since the first evaluation of the injured child is performed by the school staff with no medical expertise, meaning that the decision to transport the child to the PED is based on common sense. Therefore, a large amount of injuries probably did not need a medical assessment in a PED, and could be treated in the school grounds using general care measures, or in a primary care provider. Furthermore, during the three years considered in this study, the injury rate showed an increasing trend that may be related to social issues or to architectural changes made to the Portuguese schools during the last decade. In spite of that, to further evaluate this topic a deepen analysis should be considered.

Some other variables from this study can further clarify the burden of school injuries in the SJHC-PED. The monthly rate of school injuries presents a seasonal distribution, reflecting the discrepancy between school days and holidays. More, most of the emergency episodes occurred during the week within the school schedule (09h to 19h). Weekend visits or visits between 19h to 09h can be explained by parents bringing their children to the PED after the school schedule. Ideally, the child should be brought for evaluation immediately after the injury, but in some cases complaints may manifest later. Furthermore, the waiting time to consultation during the months of October, November and December (when the school injury rate is also higher), highlighted the overload of the emergency departments during the autumn/winter period. Thus, it is not surprising that the waiting time to consultation is higher than in other seasons.

In the SJHC-PED, the most reported triage main complaint is the musculoskeletal (69.2%), and orthopedics is the most requested medical specialty in the injury context (65.9%). Despite that, the current organization of the SJHC-PED is not suitable to respond to such demand, because children with a musculoskeletal complaint are first seen by a pediatric surgeon, then they do the radiologic exams, and finally they are seen by an orthopedic specialist within the adult emergency department. So, the current procedure seems to contribute to a higher burden of the emergency department.

Regarding the demographic variables, our results are similar to those from the review study of Laflamme and Menckel,<sup>5</sup> that is, boys have a higher injury rate than girls, and the difference decrease across the development. In accordance to our results, this review study also show that preadolescents are generally the group with the highest injury rate, although the evidence concerning the association between injury rate and age group vary in different directions depending on the school or region. Different studies use several definitions of injury severity, which makes comparisons difficult.<sup>18</sup> Our results point that boys and younger students suffer a higher proportion of severe injuries, probably due to the more risk-taking behavior associated with boys, and to the different stages of physical development of children.<sup>3, 8</sup>

Concerning the JOne system and, as previously referred, it was not designed with the main purpose of injury surveillance.<sup>20</sup> However, it allows the direct download of the data without consulting the individual charts, which is considered an important feature of an injury surveillance system.<sup>10</sup> Currently, JOne already collects important data for injury surveillance, such as the PaedsCTAS triage score. PaedsCTAS is a suitable indicator for monitoring the injury severity through the JOne system in the PED because: 1) is a validated injury severity proxy measure, and 2) all the emergency episodes go through the triage process.<sup>26</sup> Another valid indicator for the injury surveillance program is the principal diagnosis, coded by the ICD-9-CM.<sup>27</sup> Our analysis revealed that only 56.1% of the principal diagnosis were correctly coded according to the ICD-9-CM, because the current system allows the selection of an incorrect diagnosis. Simple updates to the system might improve the number of valid diagnosis, namely the system should not allow that doctors select a principal diagnosis from the "Supplementary Classification of External Causes of Injury and Poisoning". The "E codes" should never be recorded as a principal diagnosis.<sup>27</sup> A new sub-label entry for the event of injury can be made available in order to record the cause, the intent and the place where the injury occurred through the "E codes". More, the JOne should be updated so that only the diagnosis codes with the maximum subdivision are accepted, that is, those that have been coded to the full number of digits required.

An alternative and more informative approach to the previous referred problems may be the creation of an injury specific form (within the JOne system) that would allow to record and collect data, considered fundamental to construct a good injury surveillance system, as defined by the World Health Organization.<sup>10</sup> Thus, injury emergency episodes will be labeled by doctors, and not by the reception staff, which will reduce the current subjectivity within the labeling procedure. The current subjectivity of this procedure is obvious for example in some cases that at first are classified as school injuries by reception staff, and then were diagnosed as belonging to the ICD-9-CM Chapter 1 "Infectious and parasitic diseases", clearly not related with injuries.

To conclude, our results suggest that the school injuries account for a significant burden in the SJHC-PED, and that the current routines of the pediatric orthopedic service should be revised and improved, in order to allow an efficient patient care. A screening test criteria must be defined to facilitate the decision of the school staff regarding the reference of the child to the primary or the tertiary health facility. More, JOne has the potential to be a childhood injury surveillance system, because it is allocated to a PED that receives most of the pediatric patients with injury-related complaints within the Oporto region.<sup>19, 23</sup> Further, it allows for a practical and direct download of data without an individual patient chart review. However, some updates must be done to grant the recording of more detailed injury-specific data, so that the JOne could work as an injury

surveillance system. In the specific case of school injury surveillance, we perceived JOne system as an incomplete tool to its study. To accomplish this baseline, a centralized dataset is mandatory, and it should combine information provided from both the school and the PED.<sup>30</sup> This is important because it is known that some injuries sustained at school may not need emergency care, but they should also be accounted and prevented.<sup>31</sup> More, injury rate and injury associated features vary from school to school, so it is important to have a system that allows for schools to be individually evaluated.<sup>5</sup> This assumes that some data can only be recorded by the school staff, so that variables regarding the student, the school environment and the school community and surroundings, involved in the injury event sequence, can also be evaluated.<sup>5, 16</sup> This approach will allow the adjustment of the prevention programs to better fulfill the needs of each school, and its shortcomings regarding injury specific proneness.<sup>32, 33</sup> Altogether, these findings reinforce the importance of an articulated strategy between health and educational services regarding the reporting and prevention of school injuries, which can be partially accomplished through an online form shared between the schools and the PED.

## References

1. Maitra AK, Sweeney G. Are schools safer for children than public places? *J Accid Emerg Med.* 1996;13(3):196-7.
2. UN General Assembly. Convention on the Rights of the Child. United Nations, Treaty Series. 1989;1577.
3. Tamburlini G, Ehrenstein OS, Bertollini R, et al. Children's health and environment: a review of evidence: a joint report from the European Environment Agency and the WHO Regional Office for Europe. 2002.
4. Miller TR, Spicer RS. How safe are our schools? *Am J Public Health.* 1998;88(3):413-8.
5. Laflamme L, Menckel E. School injuries in an occupational health perspective: what do we learn from community based epidemiological studies? *Inj Prev.* 1997;3(1):50-6.
6. OECD. Indicator D1: How much time do students spend in the classroom? *Education at a Glance 2014: OECD Indicators.* OECD Publishing; 2014.
7. Kraus R, Horas U, Szalay G, et al. School-related injuries: a retrospective 5-year evaluation. *Eur J Trauma Emerg Surg.* 2011;37(4):411-8.
8. Peden M, Oyegbite K, Ozanne-Smith J, et al, eds. *World report on child injury prevention.* Switzerland: World Health Organization; 2008.
9. Sethi D, Mitis F, Racioppi F. *Preventing Injuries in Europe: from international collaboration to local implementation.* Rome: World Health Organization Europe; 2010.
10. Y Holder, M Peden, E Krug, et al. *Injury Surveillance Guidelines.* Geneva: World Health Organization; 2001.
11. MacKay M. Child Safety Report Card 2012–Portugal. Amsterdam: European Child Safety Alliance, Eurosafe; 2012.
12. Direcção Geral da Saúde. Programa Nacional de Prevenção de Acidentes 2010-2016. Lisboa: Direcção Geral da Saúde; 2010.

13. Seixo L. Os acidentes em meio escolar: que intervenção? *Rev Port Clin Geral*. 2004;20:233-42.
14. De Simone Eichel J, Goldman L. Safety makes sense: a program to prevent unintentional injuries in New York City public schools. *J Sch Health*. 2001;71(5):180-3.
15. Scherer K, Mausner-Dorsch H, Kemeny P. Surveillance-based injury epidemiology in schools in Germany. *Int J Inj Contr Saf Promot*. 2006;13(3):159-69.
16. Laflamme L, Menckel E, Aldenberg E. School-injury determinants and characteristics: developing an investigation instrument from a literature review. *Accid Anal Prev*. 1998;30(4):481-95.
17. Junkins EP, Jr., Knight S, Olson LM, et al. Analysis of school injuries resulting in emergency department or hospital admission. *Acad Emerg Med*. 2001;8(4):343-8.
18. Gratz RR. School injuries: what we know, what we need. *J Pediatr Health Care*. 1992;6(5 Pt 1):256-62.
19. Zuckerbraun NS, Powell EC, Sheehan KM, et al. Community childhood injury surveillance: an emergency department-based model. *Pediatr Emerg Care*. 2004;20(6):361-6.
20. Centro Hospitalar São João. JOne. Centro Hospitalar São João Web site. Available at: <http://portal-chsj.min-saude.pt/pages/417>. Accessed November 21, 2017
21. Centro Hospitalar de São João. Relatório e Contas. Porto: Centro Hospitalar de São João; 2015.
22. Ministérios das Finanças da Educação e da Saúde. Portaria n.º 413/99, de 8 de Junho. Regulamento do Seguro Escolar. Portugal: Diário da República; 1999.
23. Centro Hospitalar de São João. Relatório e Contas. Porto: Centro Hospitalar de São João; 2016.
24. PORDATA - Alunos matriculados nos ensinos pré-escolar, básico e secundário: total e por nível de ensino [database online]. Lisboa, Fundação Francisco Manuel dos Santos; 2009. Updated August 3, 2017.

25. Warren DW, Jarvis A, LeBlanc L, et al. Revisions to the Canadian triage and acuity scale paediatric guidelines (PaedCTAS). *CJEM*. 2008;10(3):224-32.
26. Yates MT, Ishikawa T, Schneeberg A, et al. Pediatric Canadian Triage and Acuity Scale (PaedsCTAS) as a Measure of Injury Severity. *Int J Environ Res Public Health*. 2016;13(7):659.
27. Buck CJ. *2014 ICD-9-CM for Hospitals, Volumes 1, 2 and 3 Standard Edition*: Elsevier Health Sciences; 2013.
28. Bergström E, Björnstig U. School injuries. Epidemiology and clinical features of 307 cases registered at hospital during one school year. *Scand J Prim Health Care*. 1991;9(3):209-16.
29. Direção Geral da Saúde. Programa Nacional de Saúde Escolar 2014. Lisboa: Direção Geral da Saúde; 2014.
30. Williams WR, Latif AH, Cater L. Accidents in the school environment: perspectives of staff concerned with data collection and reporting procedures. *Public Health*. 2003;117(3):180-6.
31. Hodgson C, Woodward CA, Feldman W. Parent report of school-related injuries. *Can J Public Health*. 1985;76(1):56-8.
32. Laflamme L, Eilert-Petersson E. School-injury patterns: a tool for safety planning at the school and community levels. *Accid Anal Prev*. 1998;30(2):277-83.
33. Di Scala C, Gallagher SS, Schneps SE. Causes and outcomes of pediatric injuries occurring at school. *J Sch Health*. 1997;67(9):384-9.

Figure Captions:

**Figure 1.** Number of school injuries by age group and sex.

**Figure 2.** Number of school injuries by age group and injury severity.

**Figure 3.** Mean time spent in the Pediatric Emergency Department (PED) by months.

**Figure 4.** Mean waiting time to consultation by months.

Table 1.

Descriptive statistics of the school injuries for each age group.

| <b>Age group</b> | <b>Frequency</b> | <b>Percent</b> | <b>Injury rate</b> |
|------------------|------------------|----------------|--------------------|
| [3,6[            | 1115             | 5.5            | 17.6/1000          |
| [6,10[           | 4944             | 24.3           | 51.1/1000          |
| [10,12[          | 4354             | 21.4           | 77.3/1000          |
| [12,15[          | 6167             | 30.3           | 67.9/1000          |
| [15,18[          | 3745             | 18.4           | 33.7/1000          |
| Total            | 20325            | 100.0          |                    |

Table 2.

Incorrect Coding of the school injurie's principal diagnoses.

|   | Frequency    | Percent      | Valid<br>Percent |
|---|--------------|--------------|------------------|
| Supplementary Classification of External Causes of Injury and Poisoning | 49           | .2           | .2               |
| Diagnosis with no coding match  | 489          | 2.4          | 2.4              |
| Insufficient coding   | 8107         | 39.9         | 40.4             |
| Correct/valid coding  | 11399        | 56.1         | 56.9             |
| Total   | 20044        | 98.6         | 100.0            |
| Missing   | 281          | 1.4          |                  |
| <b>Total</b>  | <b>20325</b> | <b>100.0</b> |                  |

Figure 1




Figure 2




Figure 3





Figure 4



## **Agradecimentos**

Em primeiro lugar gostaria de agradecer ao Professor Doutor Luís de Almeida Santos, que tenho o prazer de conhecer desde a infância, por ter aceite orientar esta dissertação e me ter envolvido nesta temática. Agradeço a sua total disponibilidade e apoio em todas as fases deste trabalho e a forma como fomentava as discussões levando a que eu quisesse ir mais longe. Não posso deixar de referir o quanto admiro e reconheço a vastíssima experiência clínica e o conhecimento científico aliados à capacidade de encontrar soluções, procurando construir “um mundo melhor” para as crianças.

Ao João Viana por ter providenciado interessantíssimas discussões desde a metodologia até às implicações futuras que este trabalho possa ter enquadrando-o, sempre, na perspetiva da investigação; tudo isto condimentado de sentido de humor e boa disposição.

Ao António Bandeira por ter integrado este grupo de trabalho e ter demonstrado interesse em continuar o projeto que começou com esta dissertação.

Aos meus colegas da “turma 8”, companheiros de seis anos de faculdade, e com os quais nunca me senti sozinha quando partilhava os últimos “dramas” da minha investigação.

À família escutista, por serem o meu “porto seguro”, a “escola da vida” que fez de mim quem sou hoje. A todos os meus amigos do 143 sempre prontos a ajudar, a incentivar e a acreditar que o sonho é possível.

Por fim, mas não em último, à minha família. Aos meus avós, Benjamim, Rosa e Céu, que são os meus maiores “cheerleaders”, nunca me deixando esmorecer; à minha tia, Fátima, pela constante preocupação e carinho para com a sua sobrinha favorita; aos meus pais, António e Márcia, agradeço tudo o que sou e tantas outras coisas que nem consigo exprimir, são, sem dúvida, os meus modelos de vida. Agradeço também, com grande veemência, à minha “irmã” mais velha, Marta, por estar sempre presente, sempre sorridente, a “moer-me o juízo” e a lançar sobre mim todo o seu talento e vasto conhecimento científico que foi essencial para a conclusão deste trabalho.

# ANEXOS

# Pediatric Emergency Care

## Online Submission and Review System

### SCOPE

*Pediatric Emergency Care* is a peer-reviewed, journal directed to an audience of pediatric emergency physicians. The Journal publishes original articles, illustrative cases, review articles, and other special features.

### Ethical/Legal Considerations

A submitted manuscript must be an original contribution not previously published (except as an abstract or a preliminary report), must not be under consideration for publication elsewhere, and, if accepted, must not be published elsewhere in similar form, in any language, without the consent of Lippincott Williams & Wilkins. Each person listed as an author is expected to have participated in the study to a significant extent. Although the editors and referees make every effort to ensure the validity of published manuscripts, the final responsibility rests with the authors, not with the Journal, its editors, or the publisher.

**All manuscripts must be submitted on-line through the journal's Web site at <http://pcare.edmgr.com>.**

***Patient anonymity and informed consent:*** It is the author's responsibility to ensure that a patient's anonymity be carefully protected and to verify that any experimental investigation with human subjects reported in the manuscript was performed with informed consent and following all the guidelines for experimental investigation with human subjects required by the institution(s) with which all the authors are affiliated. Authors should mask patients' eyes and remove patients' names from figures unless they obtain written consent from the patients and submit written consent with the manuscript.

***Conflicts of interest:*** Authors must state all possible conflicts of interest in the manuscript, including financial, consultant, institutional and other relationships that might lead to bias or a conflict of interest. If there is no conflict of interest, this should also be explicitly stated as none declared. All sources of funding should be acknowledged in the manuscript. All relevant conflicts of interest and sources of funding should be included on the title page of the manuscript with the heading "Conflicts of Interest and Source of Funding:". For example:

Conflicts of Interest and Source of Funding: A has received honoraria from Company Z. B is currently receiving a grant (#12345) from Organization Y, and is on the speaker's bureau for Organization X – the CME organizers for Company A. For the remaining authors none were declared.

In addition, each author must complete and submit the journal's copyright transfer agreement, which includes a section on the disclosure of potential conflicts of interest based on the recommendations of the International Committee of Medical Journal Editors, "Uniform Requirements for Manuscripts Submitted to Biomedical Journals" ([www.icmje.org/update.html](http://www.icmje.org/update.html)).

A copy of the form is made available to the submitting author within the Editorial Manager submission process. Co-authors will automatically receive an Email with instructions on completing the form upon submission.

### Open access

Authors of accepted peer-reviewed articles have the choice to pay a fee to allow perpetual unrestricted online access to their published article to readers globally, immediately upon publication. Authors may take advantage of the open access option at the point of acceptance to ensure that this choice has no influence on the peer review and acceptance process. These

articles are subject to the journal's standard peer-review process and will be accepted or rejected based on their own merit.

The article processing charge (APC) is charged on acceptance of the article and should be paid within 30 days by the author, funding agency or institution. Payment must be processed for the article to be published open access. For a list of journals and pricing please visit our [Wolters Kluwer Open Health Journals page](#).

### ***Authors retain copyright***

Authors retain their copyright for all articles they opt to publish open access. Authors grant Wolters Kluwer an exclusive license to publish the article and the article is made available under the terms of a Creative Commons user license. Please visit our [Open Access Publication Process page](#) for more information.

### ***Creative Commons license***

Open access articles are freely available to read, download and share from the time of publication under the terms of the [Creative Commons License Attribution-NonCommercial No Derivative \(CC BY-NC-ND\) license](#). This license does not permit reuse for any commercial purposes nor does it cover the reuse or modification of individual elements of the work (such as figures, tables, etc.) in the creation of derivative works without specific permission.

### ***Compliance with funder mandated open access policies***

An author whose work is funded by an organization that mandates the use of the [Creative Commons Attribution \(CC BY\) license](#) is able to meet that requirement through the available open access license for approved funders. Information about the approved funders can be found here: <http://www.wkopenhealth.com/inst-fund.php>

### ***FAQ for open access***

<http://www.wkopenhealth.com/openaccessfaq.php>

### **Permissions:**

For permission and/or rights to use content for which the copyright holder is LWW or the society, please go to the journal's website and after clicking on the relevant article, click on the "Request Permissions" link under the "Article Tools" box that appears on the right side of the page. Alternatively, send an e-mail to [customercare@copyright.com](mailto:customercare@copyright.com).

For Translation Rights & Licensing queries, contact Silvia Serra, Translations Rights, Licensing & Permissions Manager, Wolters Kluwer Health (Medical Research) Ltd, 250 Waterloo Road, London SE1 8RD, UK. Phone: +44 (0) 207 981 0600. E-mail: [silvia.serra@wolterskluwer.com](mailto:silvia.serra@wolterskluwer.com).

For Special Projects and Reprints (U.S./Canada), contact Alan Moore, Director of Sales, Lippincott Williams & Wilkins, Two Commerce Square, 2001 Market Street, Philadelphia, PA 19103. Phone: 215-521-8638. E-mail: [alan.moore@wolterskluwer.com](mailto:alan.moore@wolterskluwer.com).

For Special Projects and Reprints (non-U.S./Canada), contact Silvia Serra, Translations Rights, Licensing & Permissions Manager, Wolters Kluwer Health (Medical Research) Ltd, 250 Waterloo Road, London SE1 8RD, UK. Phone: +44 (0) 207 981 0600. E-mail: [silvia.serra@wolterskluwer.com](mailto:silvia.serra@wolterskluwer.com).

### **Manuscript Submission**

**On-line Manuscript Submission.** All manuscripts must be submitted on-line through the new Web site at <http://pcare.edmgr.com>. **First-time users:** Please click the Register button from the main menu and enter the requested information. On successful registration, you will be sent an e-mail indicating your user name and password. Print a copy of this information for future reference. Note: If you have received an e-mail from us with an assigned user ID and password, or if you are a repeat user, do not register again. Just log in. Once you have an assigned ID and password, you do not have to re-register, even if your status changes (that is, author, reviewer, or editor). **Authors:** Please click the log-in button from the menu at the top of the page and log in to the system as an Author. Submit your manuscript according to the author instructions. You will be able to track the progress of your manuscript through the system. If you experience any problems, please contact the Editorial Office e-mail: [pcare2001@yahoo.com](mailto:pcare2001@yahoo.com). Requests for help and other questions will be addressed in the order received.

## Preparation of Manuscript

Manuscripts that do not adhere to the following instructions will be returned to the corresponding author for technical revision before undergoing peer review.

**Title page: Title page must be submitted as a separate file.** Include on the title page (a) complete manuscript title; (b) authors' full names, highest academic degrees, and affiliations; (c) name and address for correspondence, including fax number, telephone number, and e-mail address; (d) address for reprints if different from that of corresponding author; and (e) all sources of support, including pharmaceutical and industry support, that require acknowledgment.

The title page must also include disclosure of funding received for this work from any of the following organizations: National Institutes of Health (NIH); Wellcome Trust; Howard Hughes Medical Institute (HHMI); and other(s).

**Structured abstract and key words: Abstract must be submitted as a separate file.**

Limit the abstract to 250 words. Do not cite references in the abstract. Limit the use of abbreviations and acronyms. Use the following subheads: Objectives, Methods, Results, and Conclusions. List three to five key words.

**Text:** Organize the manuscript into four main headings: Introduction, Materials and Methods, Results, and Discussion. Define abbreviations at first mention in text and in each table and figure. If a brand name is cited, supply the manufacturer's name and address (city and state/country).

**Abbreviations:** For a list of standard abbreviations, consult the *Council of Biology Editors Style Guide* (available from the Council of Science Editors, 9650 Rockville Pike, Bethesda, MD 20814) or other standard sources. Write out the full term for each abbreviation at its first use unless it is a standard unit of measure.

**References:** The authors are responsible for the accuracy of the references. Key the references (double-spaced) at the end of the manuscript. Cite the references in text in the order of appearance. Cite unpublished data—such as papers submitted but not yet accepted for publication and personal communications, including e-mail communications—in parentheses in the text. If there are more than three authors, name only the first three authors and then use et al. Refer to the *List of Journals Indexed in Index Medicus* for abbreviations of journal names, or access the list at <http://www.nlm.nih.gov/tsd/serials/lji.html>. Sample references are given below:

### 1. Journal Article

Schuh S, Coates AL, Binnie R, et al. Efficacy of oral dexamethasone in outpatients with acute bronchiolitis. *J. Pediatr.* 2002;140:27-32.

### 2. Book chapter

Perron CE. Pain-scrotal. In: Fleisher GR, Ludwig S, eds, *Textbook of Pediatric Emergency Medicine*. 4th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2000:473-481.

### 3. Entire book

Monti PM, Colby SM, O'Leary TA, eds. *Adolescents, Alcohol, and Substance Abuse: Reaching Teens Through Brief Interventions*. New York, NY: Guilford Press; 2001.

### 4. Software

*Epi Info* [computer program]. Version 6. Atlanta, GA: Centers for Disease Control and Prevention; 1994.

### 5. Online journal

Harrison CL, Schmidt PQ, Jones JD. Aspirin compared with acetaminophen for relief of headache. *Online J Curr Clin Trials* [serial on-line]. January 2, 1992; doc 1.

### 6. Database

CANCERNET-PDQ[database online]. Bethesda, MD: National Cancer Institute; 1996. Updated March 29, 1996.

### 7. World Wide Web

US Department of Health and Human Services. Methamphetamine: abuse and addiction.

National Institute on Drug Abuse Research Web site. Available at:  
<http://www.nida.nih.gov/researchreports/methamp>. Accessed August 13, 2001.

## **Figures:**

### **A) Creating Digital Artwork**

1. Learn about the publication requirements for Digital Artwork: <http://links.lww.com/ES/A42>
2. Create, Scan and Save your artwork and compare your final figure to the Digital Artwork Guideline Checklist (below).
3. Upload each figure to Editorial Manager in conjunction with your manuscript text and tables

### **B) Digital Artwork Guideline Checklist**

Here are the basics to have in place before submitting your digital artwork:

- Artwork should be saved as TIFF, EPS, or MS Office (DOC, PPT, XLS) files. High resolution PDF files are also acceptable.
- Crop out any white or black space surrounding the image.
- Diagrams, drawings, graphs, and other line art must be vector or saved at a resolution of at least 1200 dpi. If created in an MS Office program, send the native (DOC, PPT, XLS) file.
- Photographs, radiographs and other halftone images must be saved at a resolution of at least 300 dpi.
- Photographs and radiographs with text must be saved as postscript or at a resolution of at least 600 dpi.
- Each figure must be saved and submitted as a separate file. Figures should not be embedded in the manuscript text file.

### **Remember:**

- Cite figures consecutively in your manuscript.
- Number figures in the figure legend in the order in which they are discussed.
- Upload figures consecutively to the Editorial Manager web site and enter figure numbers consecutively in the Description field when uploading the files.
- All electronic art that cannot be successfully uploaded must be submitted on a 3 1/2-inch high-density disk, a CD-ROM, or an Iomega Zip disk, accompanied by high-resolution laser prints of each image. Send artwork that cannot be uploaded to Stephen Ludwig, MD, Editor Room 2011, The Children's Hospital of Philadelphia, 34th Street & Civic Center Boulevard, Philadelphia, PA 19104, FAX: 215-590-2180; e-mail: ludwig@email.chop.edu.

**Figure legends:** Include legends for all figures. They should be brief and specific, and they should appear on a separate manuscript page after the references. Use scale markers in the image for electron micrographs, and indicate the type of stain used.

**Illustrative Cases:** An Illustrative Case should present new information or clinical situation that adds to the medical literature. For example, it should be a case that can be described in a standard textbook.

There is no set word limit for Illustrative Cases.

Authors should organize the text into four main headings: Abstract, Case, Discussion, and Conclusions. In articles that present more than one patient, the second article heading would be "Cases," and "Case 1," "Case 2," and so on would be subheads.

Most Illustrative Cases contain images, such as photographs, CT scans, radiographs, etc. These images will be published in black and white unless the author is willing to pay for color reproduction.

Be sure to define abbreviations at first mention in the text and in each table and figure. If a brand name is cited, supply the manufacturer's name and address (city and state/country).

All Illustrative Cases have references cited by number in the text and a reference list, in citation order, at the end of the article.

**Ultrasound Case Reviews:** Ultrasound Case Reviews will accept case reports and case series relevant to the use of point-of-care ultrasound in the emergency setting. Submissions for this section should adhere to the format below (those that do not follow this format will be returned for reformatting). **Note: As of May 2015, in order to improve the speed with which cases are published, a maximum limit of 1500 words has been set for each US Case Review article. This limit includes the abstract, main text, figure and table legends, and references. The maximum number of figures for print publication is 3 (with one image per figure); however, additional images or videos will be considered for supplemental digital content, which will be published online only.** Please use the following headings for all submissions to this section:

Abstract; Case presentation; US findings (including still images/videos); Technique; Review of the literature; Conclusions; and References. Each article should include all of these headings. Authors also should insert line numbers into their Word document prior to uploading to the Editorial Manager system. For consistency across publications for this section, please use the term "point-of-care ultrasound," rather than "emergency ultrasound" or "bedside ultrasound." Authors should note that the review of the literature should primarily focus on the literature regarding the use of ultrasound for this indication, rather than on the disease process involved. Past issues of the journal are a good source of information on the formatting and content of the Ultrasound Case Reviews. For cases given a decision of revise and resubmit, when submitting a revision, please include an itemized response to the review that includes the reviewer's comment followed by the author's response and relevant line numbers where changes can be found.

### **Supplemental Digital Content**

**Supplemental Digital Content (SDC):** Authors may submit SDC via Editorial Manager to LWW journals that enhance their article's text to be considered for online posting. SDC may include standard media such as text documents, graphs, audio, video, etc. On the Attach Files page of the submission process, please select Supplemental Audio, Video, or Data for your uploaded file as the Submission Item. If an article with SDC is accepted, our production staff will create a URL with the SDC file. The URL will be placed in the call-out within the article. SDC files are not copy-edited by LWW staff, they will be presented digitally as submitted. For a list of all available file types and detailed instructions, please visit <http://links.lww.com/A142>.

### **SDC Call-outs**

Supplemental Digital Content must be cited consecutively in the text of the submitted manuscript. Citations should include the type of material submitted (Audio, Figure, Table, etc.), be clearly labeled as "Supplemental Digital Content," include the sequential list number, and provide a description of the supplemental content. All descriptive text should be included in the call-out as it will not appear elsewhere in the article.

Example:

We performed many tests on the degrees of flexibility in the elbow (see Video, Supplemental Digital Content 1, which demonstrates elbow flexibility) and found our results inconclusive.

### **List of Supplemental Digital Content**

A listing of Supplemental Digital Content must be submitted at the end of the manuscript file. Include the SDC number and file type of the Supplemental Digital Content. This text will be removed by our production staff and not be published.

Example:

Supplemental Digital Content 1. wmv

### **SDC File Requirements**

All acceptable file types are permissible up to 10 MBs. For audio or video files greater than 10 MBs, authors should first query the journal office for approval. For a list of all available file types and detailed instructions, please visit <http://links.lww.com/A142>.

**Color figures:** The journal accepts for publication color figures that will enhance an article. Authors who submit color figures will receive an estimate of the cost for color reproduction. If they decide not to pay for color reproduction, they can request that the figures be converted to black and white at no charge.

**Tables:** Create tables using the table creating and editing feature of your word processing software (eg, Word, WordPerfect). Do not use Excel or comparable spreadsheet programs. Group all tables in a separate file. Cite tables consecutively in the text, and number them in that order. Each table should appear on a separate page and should include the table title, appropriate column heads, and explanatory legends (including definitions of any abbreviations used). Do not embed tables within the body of the manuscript. They should be self-explanatory and should supplement, rather than duplicate, the material in the text.

**Style:** Pattern manuscript style after the *American Medical Association Manual of Style* (9th edition). *Stedman's Medical Dictionary* (27th edition) and *Merriam Webster's Collegiate Dictionary* (10th edition) should be used as standard references. Refer to drugs and therapeutic agents by their accepted generic or chemical names, and do not abbreviate them. Use code numbers only when a generic name is not yet available. In that case, supply the chemical name and a figure giving the chemical structure of the drug is required. Copyright or trade names of drugs should be capitalized and placed in parentheses after the name of the drug. Names and locations (city and state in USA; city and country outside USA) of manufacturers of drugs, supplies, or equipment cited in a manuscript are required to comply with trademark law and should be provided in parentheses. Units of measure should be expressed in the metric system, and temperatures should be expressed in degrees Celsius. Conventional units should be written as SI units as appropriate.

## After Acceptance

### Electronic page proofs and corrections

Corresponding authors will receive electronic page proofs to check the copyedited and typeset article before publication. Portable document format (PDF) files of the typeset pages and support documents (e.g., reprint order form) will be sent to the corresponding author via e-mail. Complete instructions will be provided with the e-mail for downloading and marking the electronic page proofs. Corresponding author must provide an email address. The proof/correction process is done electronically.

It is the author's responsibility to ensure that there are no errors in the proofs. Authors who are not native English speakers are strongly encouraged to have their manuscript carefully edited by a native English-speaking colleague. Changes that have been made to conform to journal style will stand if they do not alter the authors' meaning. Only the most critical changes to the accuracy of the content will be made. Changes that are stylistic or are a reworking of previously accepted material will be disallowed. The publisher reserves the right to deny any changes that do not affect the accuracy of the content. Authors may be charged for alterations to the proofs beyond those required to correct errors or to answer queries. Electronic proofs must be checked carefully and corrections returned within 24 to 48 hours of receipt, as requested in the cover letter accompanying the page proofs.

**Reprints.** Authors will receive an email notification with a link to the order form soon after their article publishes in the journal (<https://shop.lww.com/author-reprint>). Reprints are normally shipped 6 to 8 weeks after publication of the issue in which the item appears. Contact the Reprint Department, Lippincott Williams & Wilkins, 351 W. Camden Street, Baltimore, MD 21201; Fax: 410.558.6234; E-mail: [authorreprints@wolterskluwer.com](mailto:authorreprints@wolterskluwer.com) with any questions.

**Publisher's contact:** Send corrected page proofs, reprint order form, and any other related materials to Cheena, fax (703)-991-9152, e-mail: [M.Abellar@spi-bpo.com](mailto:M.Abellar@spi-bpo.com)

